

UNFPA / UNOPS OFFICE FIT OUT

Level 12 Kina Haus Douglas Street POM PNG DATE: 9/6/2024

BILL OF QUANTITIES - INTERIOR INSTALLATION

General Note: The Contractor (Bidder) carefully studied related documentation and conditions of tender and submitted prices are based on Tender base.

The Contractor (Bidder) is aware that prices and its breakdown take into account all the work necessary for the proper execution of the work subject that are obvious and / or which may be appropriately qualified and competent contractor shall predict. All utility work and incidental expenses, unless specifically provided, shall be included in the cost of the work. These rates include labor cost, manpower, materials, machinery equipment, the cost of organization and management work, temporary works, as well as any incidental costs necessary for the proper execution of work and a reasonable profit.

Item No	Category	Image	Specif	ication	Supplier / Link	Quantity	UOM	Unit Price	Price	Remarks
	PRELIMINARIES	80			ouppiie: / Liiii	- Carriery	00		11100	
	General Mobilizatio	n				1.00				
	Logistics					1.00				
		Ceiling, wall partition, carpet part	area			1.00				
	Site protection					1.00				
5	HSE					1.00				
	Demolition works					1.00				
		al power & lighting for work				1.00				
8	As Built Plans					1.00				
В	FLOORING									
	Supply and Install th	ne following:				1.00				
F1	Reception / Pantry OPTION 1	PEARL OAK 1241	Gerflor, Vinyl Planks, Creation Premium LVT, Pearl Oak, 1241	Total thickness EN428,mm 5, Wearlayer thickness, EN429, mm 0.55, Weight EN430, g/m2, 9020, Dimensions: EN426,mm 230 x1500	Gerflor, Tradelink International Limited	69.59	sqm			
71	Pantry OPTION 2	DP1301 BLEACHED OAK	Duraplank, DP1301 Bleached Oak	Thickness-2.5mm, Wear Layer - 0.55, Plank Size - 183mmx1219mm, Qty per ctn - 18 planks	Kenbrock or Tradelink International Limited	29.00	sqm			
	Reception / Pantry OPTION 1	BLACKBUTT 0387	Gerflor, Creation Premium LVT, Blackbutt 0387	Total thickness EN428,mm 5, Wearlayer thickness, EN429, mm 0.55, Weight EN430, g/m2, 9020, Dimensions: EN426,mm 230 x1500	Gerflor, Tradelink International Limited	69.59	sqm			
F2	Pantry OPTION 2	DP1323 OAK DE RHONE	Duraplank, DP1323 Oak De Rhone	Thickness-2.5mm, Wear Layer - 0.55, Plank Size - 183mmx1219mm, Qty per ctn - 18 planks	Kenbrock or Tradelink International Limited	29.00	sqm			
F3	Bathroom Floor	SHELLY WHOTE SHELLY WHOTE STORY THE PROPERTY OF THE PROPERTY	Niro Granite, 300x600mm, Code: GSA01 Shelly White	300x600mm,matt structured	Niro Granite	6.00	sqm			
	WALL/PARTITION V									
		ded insulation drywall/gypsum pa			er Koom, Toilet, Parents					
	Supply & install Glass	ss Aluminum Frame Partition abov	e tile drywaii/gypsum b	oai u		1.00 1.00				
		following finishes to be read in co	I Injuction with the joiner	v details		1.00				
7		Table 11 In	., action with the joiner	,						
W1	General Wall	Mana and and and and and and and and and and	3 Coated Water Based Emulsion Paint	Natural White SW1F4	Dulux	589.00	sqm			
W2	Reception Accent Wall / UNFPA Utility Area		4 Coated Water Based Emulsion Paint	Winter Palace S37F7	Dulux	52.00	sqm			
W3	Pantry Cabinet Pelmet		4 Coated Water Based Emulsion Paint	Go Alpha A301	Dulux	35.00	sqm			
W4	Typical Wall With Glass Writing Board	Common Town Common Comm	Glass Writing Panel	Selected <mark>White</mark> Color Finish	https://www.magnatag.c om/glass-whitewall	87.00	sqm			

W5	Reception Counter/ Reception wall/	31mm	x 31mm	Polytec Steccawood Color : Boston Oak	https://www.polytec.co m.au/brochures/polytec- steccawood-prefinished- decorative-battens.pdf	9.00	sqm		
W6	Reception wall/ Conference wall feature/Conference Table/Cabinets	Boston Oak Woodmatt		Polytec Boston Oak	https://www.polytec.co m.au/colour/boston-oak/	430.00	sqm		
W7	Acoustic Panel			Selected Red/Blue/Green/Yellow/ G rey Color	https://acousticsbyspecf urn. com.au/acoustic- panels- australia/	135.00	sqm		
W8	Reception Logo wall	Navona Stone Matera		Polytec Navona Stone Matera	https://www.polytec.co m.au/colour/navona- stone/	6.90	sqm		
W9	Feature Partition		50mm x 100mm Angora Oak Woodm	Color: Aligora Gak	https://www.polytec.co m.au/colour/angora-oak/	69.00	sqm		
W9	Feature Partition		50mm x 100mm Angora Oak Woodma	Color: Angora Oak	https://www.polytec.co m.au/colour/angora-oak/	47.00	sqm		
W10	Pantry Backsplash		Bali Teal Kitchen Wall Tiles	Code: REAWEB322 Size: 33.3cm x 33.3cm x 10mm, Shade Green with blue undertones Material-Porcelain Finish-Matt	https://www.directtile warehouse.com/p/bali -teal-bathroom-tiles/	2.80	sqm		
W11	Bathroom Accent Wall Tile		Era Crema Beige 1x6 Stacked Limestone Look Matte Porcelain Mosaic Tile View Specifications 5 (1) Rev	Rectified Tiles, Stain Resistance-5, Size 11.81"x11.81	https://www.tilebar.co m/era-crema-beige- 1x6-stacked-matte- porcelain-mosaic- tile.html	13.00	sqm		
W12	Bathroom Wall Tile	SHELLY WHITE ONLY	Niro Granite, 300x600mm, Code: GSA01 Shelly White	300x600mm,matt structured	Niro Granite	12.50	sqm		
FN1	Conference Table/ Island Counter/ TV Backing/ Reception Counter SKirting	Ferro	Polytec Ferro	Refer to Details	https://www.polytec.co m.my/colours/				
FN2	Reception Counter Top Part/ Pantry Counter Top		Corian Deep Nocturne 12mm thk	Refer to Details	Deep Nocturne* [C] - CASF				

	Cabinets/Conference								
FN3	Table/ TV Panel/Pantry All Cabinets/Door @ Conference Rm		Polytec Boston Oak	Refer to Details	https://www.polytec.co m.au/colour/boston-oak/				
		Boston Oak Woodmatt							
	CEILING WORKS Supply, install and r	eplace old ceiling tiles				1.00	unit		
	Supply and Install go pantry, toilet, Serve	ypsum ceiling at reception, er Room				1.00	unit		
3	Supply and Install Fe	eature Ceiling Battens				1.00	unit		
4	Supply and Install d	rop ceiling at lobby and pantry				1.00	unit		
5	Repairing Ceiling Til	es due to Renovation				1.00	unit		
C1	Ceiling Feature @ Reception and Conference Room		50mm x 70mm Nouveau Grey	Polytec Steccawood 50x70mm Color: Nouveau Grey	https://www.polytec.co m.au/brochures/polytec- steccawood-prefinished- decorative-battens.pdf	47.00	sqm		
C2	Ceiling Feature @ Collaboration Area		50mm x 70mm	Polytec Steccawood 50x70mm Color:Citrus	https://www.polytec.co m.au/brochures/polytec- steccawood-prefinished- decorative-battens.pdf	31.00	sqm		
C3	Ceiling Feature @ Conference Rm		50mm x 70mm Painters Blue	Polytec Steccawood 50x70mm Color:Painters Blue	https://www.polytec.co m.au/brochures/polytec- steccawood-prefinished- decorative-battens.pdf	6.00	sqm		
C4	Ceiling Feature @ Pantry		50mm x 70mm Boston Oak Woodnatt	Polytec Steccawood 50x70mm Color: Boston Oak	https://www.polytec.co m.au/brochures/polytec- steccawood-prefinished- decorative-battens.pdf	43.00	sqm		
E	JOINERY/ CUSTOMI	ISED ITEMS							
	Supply and Install th	ne following:							
J1	Planter Cabinet Partition Color 1	Painters Blue	Black 30x30mm Powder Coated Aluminum Frame with Tinted Glass and planter box cabinet	Colors refer to 3d. To match with cabinet color, Polytec Painters Blue	https://www.polytec.co m.my/colours/	3.00	Unit		
J2	Planter Cabinet Color 2	Vert Green	Black 30x30mm Powder Coated Aluminum Frame with Tinted Glass and planter box cabinet	Polytec Vert Green	https://www.polytec.co m.au/colour/boston-oak/	2.00	Unit		
J3	Planter Cabinet Color 3	Citrus	Black 30x30mm Powder Coated Aluminum Frame with Tinted Glass and planter box cabinet	Polytec Citrus	https://www.polytec.co m.au/colour/graphite/	5.00	Unit		
J3.1	Planter Cabinet Color 4		Planter Box Cabinet	Polytec Wood Finish	https://www.polytec.co m.au/colour/graphite/	1.00	Unit		
J4	Kitchen island		Black 30x30mm Powder Coated Aluminum Frame with Tinted Glass	Polytec Citrus	https://www.polytec.co m.au/colour/graphite/	4.00	Unit		

15	Kitchen Joinery			Refer to Details		1.00	Unit		
J6	Pantry Bench Seating			Refer to Details		1.00	Unit		
J7	Pantry bar Height Ledge			Refer to Details		1.00	Unit		
18	Typical Low Heigth Storage			Refer to Details		16.00	Unit		
19	Typical Low Height Storage with Fridge			Refer to Details		2.00	Unit		
J10	Typical Glass Writing Board			Refer to Details		19.00	Unit		
J10.1	Typical Glass Writing Board	No sides P. Parlament P. Parlament P. Residence P. Res		Refer to Details		10.00	Unit		
J11	Full Height Storage			Refer to Details		4.00	Unit		
J12	Typical Wall With TV			Refer to Details		5.00	Unit		
J13	Typial Wall With TV + Glass Writing Board			Refer to Details		1.00	Unit		
J14	Collab Space Aluminum Frame Writing Board		Black 50 x 100mm Powder Coated Aluminum Frame with white glass writing board	Finish	https://www.magnatag.c om/glass-whitewall	6.00	unit		

			UNOPS with Selected Blue accent wall laminate						
	Typical Utility Cabinet UNFPA	Production of the second	Nouveau Grey	Refer to Details	https://www.polytec.co m.my/colours/	1.00	unit		
J15	Typical Utility Cabinet UNOPS		UNOPS with Selected Blue accent wall laminate Painters Blue	Refer to Details	https://www.polytec.co m.my/colours/	2.00	unit		
J16	Prayer Room Seating Bench			with selected gray PU leather	Refer to Details	1.00	unit		
J17	Meeting Room Seating Bench			with selected Green PU leather	Refer to Details	1.00	unit		
J18	Reception Counter			Refer to Details, Counter top finish- Corian Deep Nocturne 12mm thk	Deep Nocturne* [C] - CASF	1.00	unit		
J19	Feature Wall with TV and Memo Board			Refer to Details		2.00	unit		
J20	Feature Wall Partition			Refer to Details		1.00	unit		
J21	Storage Room Cabinet			Refer to Details		2.00	unit		
J22	Conference Table		Thumana and	Refer to Details		1.00	unit		
J23	Reception Wall Signage	• UNDPS	Q UNFPA	Refer to Details		1.00	unit		
F	FEATURE								
FE1	Reception Wall Signage		Laser Cut Logo Powdercoated Acrylic h - Refer Details	Color & Text Refer to Company Logo		1.00	unit		

FE2	General Skirting		50mm/10mm Aluminum Skirting with cable management	White/black		465.00	Lm		
G	DOORS WORKS								
D01	Office Doors		Glass Doors with thin aluminium black frame + door closer mechanism	Matte Black -refer D05 for handle details	As Agreed with Contractor	22	unit		
D02	Common Door	-	Flush Door	Sizes and Color As per Detail	As Agreed with Contractor	7	unit		
D03	Glass Double Door		Clear Glass Door with slim black powder coated Aluminum frame + door closer mechanism	Matte Black Round Handle 900mmLx32mmD	As Agreed with Contractor	1	unit		
D04	Reception to Conference Rooms		Painted in Ducco Matte selected finish	Hafele Concealed Door Hinges + Automatic Hydraulic Double Speed Aluminium Concealed Pelmet Arm Door Closer Premium Heavy Duty	As Agreed with Contractor	2	unit		
D05	General Door handle for Glass Doors		Lockwood Paradigm® Pull Handle Lockset - Deadbolt	Matte Black	https://www.lockweb. com.au/au/en/product s/nero- collection/lockwood- paradigm-pull-handle- lockset-deadbolt	26	unit		
D06	Door Stopper		Floor mounted door stop, Magnetic, standard, chrome finish	Brass, Black	https://www.hafele.co m.de/en/product/floor -mounted-door-stop- magnetic-standard/P- 01499001/	6	unit		
D07	Reception Door		Glass Panel Wooed Flush Door Painted in selected Blue Color	Sizes and Color As per Detail	As Agreed with Contractor	2	unit		
D08	Disabled Bathroom Door		Flush Door with louvers	Sizes and Color As per Detail	As Agreed with Contractor	1	unit		
D09	Pantry Door		Glass Doors with thin aluminium black frame + door closer mechanism + fixed glass	Matte Black, refer d05 for door handle details	As Agreed with Contractor	2	unit		
н	FIXTURES								
FX1	Shower		Urbane II Rail Shower with 300mm Overhead - Chrome	95, 490 top wint	https://www.caroma.c om/au/urbane-ii-rail- shower-with-mm- overhead- 105936/p/105949/?cat egory=/bathroom/sho wers/	1	unit		

FX2	Disabled Bathroom		Tribute Rectangle 500 Inset Basin 1TH OF - White	26 St. 2004	https://www.caroma.c om/au/tribute- rectangle-inset-basin- th-of- 89360/p/89363/?categ ory=/bathroom/	1	unit		
FX3	Disabled Bathroom		Contura Tower Basin Mixer - Chrome	113 113 113 113 113 113 113 114 115 115 115 115 115 115 115	https://www.caroma.c om/au/contura-tower- basin-mixer- 33851/p/24474/?categ ory=/bathroom/	1	unit		
FX4	Disabled Bathroom		Liano CleanFlush® Wall Faced Close Coupled Back Entry Toilet Suite	Sill Sill Sill Sill Sill Sill Sill Sill	https://www.caroma.c om/au/liano- cleanflush-wall-faced- toilet-suite- 32889/p/23515/?categ ory=/bathroom/toilet- suites/	1	unit		
FX5	Grab Rail		Care Support Grab Rail - 90 Degree Angled 960x600 RH - Stainless Steel	8 032 080 1	https://www.caroma.c om/au/care-support- grab-rail-degree- angled-x-rhlh- 104945/p/104956/?cat egory=/independent- living/grab-rails/	1	unit		
FX6	Grab Rail		Care Support Grab Rail - 1000mm Straight - Stainless Steel	1000	https://www.caroma.c om/au/care-support- grab-rail-mm-straight- 113803/p/113808/?cat egory=/independent- living/grab-rails/	1	unit		
FX7	Toilet Roll Holder		Urbane II Toilet Roll Holder - Chrome	926 R	https://www.caroma.c om/au/urbane-ii- toilet-roll-holder- 106748/p/106553/?cat egory=/bathroom/bat hroom-accessories/	1	unit		
FX8	Shower Rail		Urbane II 625mm Single Towel Rail – Chrome	600 026	https://www.caroma.c om/au/urbane-ii-mm- single-towel-rail- 112603/p/112634/?cat egory=/bathroom/bat hroom-accessories/	1	unit		
FX9	Kitchen Sink	•	Oliveri Santorini Black Double Bowl Topmount Sink	Dimensions: 860W x 510H mm. Bowl 1 Size: 380W x 400H x 210D mm. Bowl 2 Size: 380W x 400H x 210D mm	https://voguespas.com.a u/products/oliveri- santorini-black-double- bowl-topmount-sink	1	unit		
FX10	Kitchen Tap		FIMA Mast Kitchen Mixer Tap + Pull Out Spray	Material: Brass, Black Color	https://voguespas.com.a u/products/fima-mast- kitchen-mixer-tap-pull- out- spray?_pos=8&_sid=aa7d c5be1&_ss=r&variant=40 946252709940	1	unit		
FX11	Kitchen Filter Water Dispenser	F	906000LMB, Billi Eco Sparkling with XL Levered Dispenser Matte Black	Matte Black	https://www.billi.com. au/product/billi-eco- sparkling-with-xl- levered-dispenser/	1	unit		

FX12	Floor Drain	•	100 x 100m Floor Waste Tile Insert	Stainless Steel	As Agreed with Contractor	2	unit		
FX13	Floor Grate		800mm x 70mm Floor Grate Drain Strip Deodorant Waste Bathroom Shower Room Grates	Stainless Steel	As Agreed with Contractor	1	unit		
FX14	Bathroom Mirror		Cora LED Bathroom Mirror, Wall-mounted design for easy installation and space- saving - Energy-saving LED bulbs with ~50,000-hour lifespan - IP44 waterproof certification	1000×700	https://mirrorsdirect.c om.au/products/cora- led-bathroom-mirror	1	unit		
FX15	Shower Partition		Aluminum Framed Glass Shower Partition+Door	See Details	As Agreed with Contractor	1	unit		
FX16	Door Closer for Flush Door		Hafele Surface Mount Door Closer, Efficient Door Closer Slide Arm Hold		As Agreed with Contractor	12	unit		
FX17	General Door handle		Lever Handle, Bronte, solid	Black	https://www.lockweb. com.au/au/en/product s/nero- collection/symmetry- series-element- leverset	12	unit		



UNFPA / UNOPS OFFICE FIT OUT

Level 12 Kina Haus Douglas Street POM PNG DATE: 9/6/2024

BILL OF QUANTITIES - ME,IT &Fixtures

General Note: The Contractor (Bidder) carefully studied related documentation and conditions of tender and submitted prices are based on Tender base.

The Contractor (Bidder) is aware that prices and its breakdown take into account all the work necessary for the proper execution of the work subject that are obvious and / or which may be appropriately qualified and competent contractor shall predict. All utility work and incidental expenses, unless specifically provided, shall be included in the cost of the work. These rates include labor cost, manpower, materials, machinery equipment, the cost of organization and management work, temporary works, as well as any incidental costs necessary for the proper execution of work and a reasonable profit.

Item No	Category	Image	Specification	Supplier / Link	Quantit V	UOM	Unit Price	Price	Remarks
Ш	ME & IT IN	STALLATION			,				
Α	MECHANIC	AL WORKS							
1	AC Supply F					unit			
2	AC Return I		New Grills		11.00	unit			
3		nkler Relocation			1.00	unit			
		ector Relocation							Varify On Sita
4					1.00	unit			Verify On Site
5	Relocation	tional Antenna			1.00	unit			Verify On Site
6	Commision	ng Test			1.00	unit			Verify On Site
В	ELECTRICA								
1	Supply & in	stall electrical panel	Men power & installation material. For the specific type, according to the existing condition.		2.00	unit			
2	Supply & in Telephone!	stall Distribution panel	Men power & installation material. For the specific type, according to the existing condition.		1.00	unit			
3	Supply and	install Power Wiring				LM			
4	Supply and	Install Switch Wiring				LM			
5	Supply and	Install Lighting Wiring				LM			
6	Supply and	Install 20Amp Isolator			2.00	unit			
7	Supply and	Install Power Outlet	Plate to be Clipsal Saturn Series White Color Finish	Clipsal	48.00	unit			
8	Supply and triple lighti	Install single,double, ng Switch	Plate to be Clipsal Saturn Series White Color Finish	Clipsal	359.00	unit			
9	Supply and	Install floor mount GPO	Plate to be Clipsal Saturn Series White Color Finish	Clipsal	15.00	unit			
10	Supply and	Install TV input/output	Plate to be Clipsal Saturn Series White Color Finish	Clipsal	11.00	Unit			

11	Supply and	Install Data Outlet		Saturn Series White	Clipsal	103.00	Unit		
12	Supply and Accesspoin	Install Wireless t	Plate to be Clipsal	r Finish Saturn Series White r Finish	Clipsal	22.00	Unit		Provision, verify UNFPA
13		Install downlight, led ant lights, panel ceiling ect lights				1.00	unit		
14	Commissio	ning Test				1.00	unit		
С	LIGHTING		T					1	T
L1	Reception Area		Alcon 14142-R-DIR Recessed Multiples 1-Inch Miniature LED Fixed Round IndoorLight		https://www.al conlighting.com /14142- recessed-1- inch-led.html	5	unit		As Agreed with Contractor
L2	Conference Room & Collaborati on Area		2.5-Inch Linear LED Recessed Light	Custom RAL Color (Refer to 3d)	https://www.al conlighting.com /continuum- 12100-21- r.html	28	unit		
L3	Rooms / Meeting Rooms		LED Suspended Batten Lights 4 ft		https://www.al conlighting.com /continuum-20- architectural- led-linear- pendant.html	8	unit		As Agreed with Contractor
L4	Collaborati on Space		Kuzco Helena LED Round Minimalist Hospitality Pendant		The Kuzco Helena LED Round Minimalist Hospitality Pendant (alconlighting.co m)	5	unit		
L5	Pantry Option 1		lkea KNIXHULT		KNIXHULT pendant lamp, bamboo/handma de, 40 cm - IKEA	8	unit		As Agreed with Contractor
L6	Ceiling Feature Lights		Domus PLEO - 14.4W Neon LED Striplight IP66 24V - (include driver)	Specifications: Input Voltage (V): 24V DC Power (W): 14.4W Max IP Rating (IP): IP66 Beam Angle: 120° Dimmable: Yes Lumen Output: 1123Im LED Type: SMD Colour Temperature: 3000K DRIVER REQUIRED Dimensions: Cutting Increments/Sections: 50mm	https://www.oz lighting.com.au	22	LM		As Agreed with Contractor

L7	GENERAL LIGHT- Similar to existing	Domus PANEL-BLT- 606 - 35W LED Tri- Colour 600x600mm Backlit Panel Troffer Light, LED Type: High efficiency SMD LED Colour Temperature:	Specifications: Input Voltage (V): 240V AC Power (W): 35W LED IP Rating: IP20 Dimmable: No Lumen Output: 3200Lm Dimensions: Length: 595mm x Width: 595mm x Height: 32mm	https://www.oz lighting.com.au	14	unit		As Agreed with Contractor
D	DATA & TELEPHONE WORKS (DECEN	ITRALIZED)						
1	Install & Setup LAN Switch PoE 24 Port + 2 combo mini GBIC, 4 x 1G, Manageable				1.00	unit		
2	Relocation of Install UPS Tower				1.00	unit		device will be provided by UNFPA -UNOPS
3	Supply & install UTP data cabling				1.00	unit		
4	Supply & install data outlet				1.00			
5	Supply & install Patch Cord				1.00			
6	Supply & install acess & finger print							
7	Supply & install CCTV							
8	Supply & install DVR & monitor for CCTV							
9	Supply & install telephone line							
10	Supply & install telephone outlet							
11	Install Access Point WiFi							
12	Commissioning test							
E	AUDIO VISUAL WORKS							
1	Supply and Install HDMI cabling							
2	Install & Setup vc device for Small Meeting Room							
3	Install & Setup vc device for Large Meeting Room							
4	Labeling & Documentation for network cabling							
5	Supply and Install Boss Speakers at Large Meeting Room							Provision
FX17	Supply and Install Microwave	28L Smart Oven with Moisture Sensor, MC28A5147VK		https://www.sam sung.com/in/micr owave- ovens/convection /mw5100h- mc28a5135ck- mc28a5147vk-tl/		unit		

FX18 i	Supply and Install Conference TV, including brakets	Neo QLED	75" QN90C Neo QLED 4K Smart TV		https://www.sam sung.com/au/tvs/ qled-tv/qn90c- 75-inch-neo-qled- 4k-smart-tv- qa75qn90cawxxy	1	unit		
FX19 R	Supply And Install Meeting Rooms/Offi ce, Including Brackets	Neo QLED	55" QN90C Neo QLED 4K Smart TV		https://www.sa msung.com/au/ tvs/qled- tv/qn90c-55- inch-neo-qled- 4k-smart-tv- qa55qn90cawxx y/	5	unit		
FX20	Supply and Install Fridge		Freestanding Refrigerator Freezer, 79cm, 494L	Height 1720mm Width 790mm Depth 695mm	https://www.fis herpaykel.com/ au	2	unit		
FX21 D	Supply and Install Dishwasher GRAND TO		Freestanding Dishwasher, Sanitise	Height 850 - 895mm Width 597mm Depth 600mm	https://www.fis herpaykel.com/ au/	1	unit		



UNFPA / UNOPS OFFICE FIT OUT

Level 12 Kina Haus Douglas Street POM PNG DATE: 9/6/2024

BILL OF QUANTITIES - FURNITURE

General Note: The Contractor (Bidder) carefully studied related documentation and conditions of tender and submitted prices are based on Tender base.

The Contractor (Bidder) is aware that prices and its breakdown take into account all the work necessary for the proper execution of the work subject that are obvious and / or which may be appropriately qualified and competent contractor shall predict. All utility work and incidental expenses, unless specifically provided, shall be included in the cost of the work. These rates include labor cost, manpower, materials, machinery equipment, the cost of organization and management work, temporary works, as well as any incidental costs necessary for the proper execution of work and a reasonable profit.

ltem No	Category	Image	Specification		Supplier / Link	Quantity	UOM	Unit Price	Price	Remarks
1	FURNITURE									
FU1	UNFPA Staff Chairs		All Black	Vidak Duoflex Ergo	https://www.vidak.co.nz/col lection/seating/duoflex- ergo.html	49	unit			
FU2	Waiting Chair	*	Cold-cure moulded foam seat + back -Selected Grey in a sled base	Overall size: 610W x 610D x 610H (top of arm) Seat height: 460H	https://www.vidak.co.nz/collection/seating/brek.html		unit			
FU3	Meeting Room Chair		Vidak Marics -Selected Dark Gray	Overall size: 630W x 630D x 970-1045H Seat height: 445- 520H Back: 470W x 530H Seat: 490W x 450H	https://www.vidak.co.nz/col lection/seating/marics.html		unit			
FU4	Conference Chair		675 26/9" 460 %" 445 77/9" 440 77/9" 27 7/98 882	Vitra Grand Executive Umbra Grey	https://www.vidak.co.nz/col lection/seating/trinetic.html		unit			
FU5	Conference Side chair		Vidak Marnie 4star Low back	4 Star Low Back: 710W x 790D x 810H Seat Height: 430H,4 star swivel base.Base frames in Polished Aluminium	collection/seating/marnie		unit			
FU6	Conference Side Board		Engineered Wood and Matte Green Finish For Carcass Leg Frame: iteel With Powder Coating Finish: Stained Green	Dimension: W160 x D45 x H82cm Cupboard Capacity: 3 x W46 x D40 x H25cm for Top Shelves; 3 x W46 x D40 x H27cm for Bottom Shelves (Adjustable Shelves)	https://www.castlery.co m/au/products/luna- sideboard-160-cm	1	unit			
FU7	Staff Table UNFPA		Neo Workstation White Legs , Nordic Oak Top, Grey Color Rubber Panel	700x1400mm, Height Range: 620- 1220mmH / 24.4-48"	Neo Workstation Schiavello Furniture	4	unit			
FU8	Staff Table UNFPA		Neo Workstation White/Nordic Oak w/ Modesty panel 300mm, including all accessories and table management	700x1400mm, Height Range: 620- 1220mmH / 24.4-48"	Neo Workstation Schiavello Furniture	29	unit			Desk-Mount Panels Schiavello Furniture
FU9	Manager's Table		Neo Workstation White/Nordic Oak w/ Modesty panel 300mm, including all accessories and table management	800x1600mm, Height Range: 620- 1220mmH / 24.4-48"	Neo Workstation Schiavello Furniture	7	unit			Desk-Mount Panels Schiavello Furniture

FU10	All tables	•	Norm mild steel in Strata (White) powder coat. Categorised in Storage - Pedestals - on castors - 4-leg base - with drawers - Metal - Steel - Structure metal - Base metal - Contract.	600 H x 400 W x 502 D mm (24 H x 16 W x 20 D inches)	CACHE STORAGE - Pedestals from Schiavello International Pty Ltd Architonic	40	unit		
FU11	All tables		0.7mm mild steel in Black powder coat. Categorised in Storage - Pedestals - on castors - 4-leg base - with drawers - Metal - Steel - Structure metal - Base metal - Contract.	600 H x 400 W x 502 D mm (24 H x 16 W x 20 D inches)	CACHE STORAGE - Pedestals from Schiavello International Pty Ltd Architonic	54	unit		
FU12	Reception Area & Waiting Area / Conference Rm		Selected Color Yellow, Moulded Foam with Fabric Upholstery + Metal Leg		https://www.comfortfurn iture.com.sg/products/livi ng-room/lounge- chairs/cornelius-lounger	6	unit		
FU13	Reception & Waiting Area & Conference		Comfort Clemence Coffee / Bedside Table - Round Dia500 - V3		Clemence Coffee / Bedside Table - Round Dia500 - V2 Comfort Design Furniture (comfortfurniture.com.sg)	3	unit		
FU14	Collab Space		0.00	Comfort Oakley 3 Seater Sofa - Straight Backrest Custom color: Selected Gray and Orange	Oakley 3 Seater Sofa - Straight Backrest Comfort Design Furniture (comfortfurniture.com.sg)	4	unit		
FU15	Collab Space + Parents Room	AAATSAA	Elevate Height Adjustable Side / Coffee Table - Rect W600 - White	Measurement(s) W600 x D350 x H660 – 1000mm	https://www.comfortfurn iture.com.sg/products/livi ng-room/side- tables/elevate-height- adjustable-table-white	4	unit		
FU16	Collab Space	700	Elevate Height Adjustable Side / Coffee Table - Rect W600 - <mark>Black</mark>	Measurement(s) W600 x D350 x H660 – 1000mm	https://www.comfortfurn iture.com.sg/products/livi ng-room/side- tables/elevate-height- adjustable-table-white	4	unit		
FU17	Collab Space		Cold-cure moulded foam seat + back -Selected Yellow Fabric in a sled base		https://www.vidak.co.nz/ collection/seating/brek.ht ml	8	unit		
FU18	Pantry Option 1		Nuri Barchair - SH750, Mustard or Grey PP Plastic Seat + Natural Beech Wood Leg	Measurement(s) OW490 x OD470 x OH965 SW430 x SD370 x SH740	https://www.comfortfurn iture.com.sg/products/nu ri-barchair- sh750?search=bar%20cha <u>ir</u>	12	unit		
FU19	Pantry Seating Option 2	AA	Comfort Kimura Dining Side Chair, Polypropylene Plastic Colors: Aid Yellow, Ginger, Moss Grey	Measurement(s) OW485 x OD510 x OH790 SW400 x SD420 (SH450)	Kimura Dining Side Chair Comfort Design Furniture (comfortfurniture.com.sg)	21	unit		
FU20	Pantry table		Frame finish in clear lacquered Oak+white Melamine top		https://www.vidak.co.nz/collection/tables/thinking quietly-tables.html	6	unit		
FU21	Parents Room		CUSTOMISABLE COLOUR Russell Lounger, Material(s) Moulded Foam with Fabric Upholstery + Metal Leg	Measurement(s) OW720 x OD850 x OH970 SW530 x SD560 (SH390) (AH590)	https://www.comfortfurn iture.com.sg/products/livi ng-room/1-seater- sofas/russell- lounger#product-story	6	unit		

				T				Ī	T	
FU22	Manager Rooms Discussion Table		Vidak U.R Round 5 Star base No Castors	1000mm Diameter Black top	https://www.vidak.co.nz/col lection/tables/ur.html	3	unit			
FU23	Meeting Table UNOPS		Vidak U.R Rectangular Table	2400x900mm Rectangular White top, Black Legs 2 nos cable management	https://www.vidak.co.nz/col lection/tables/ur.html	4	unit			
FU24	Meeting Table UNFPA	O.NZ	Vidak 3oat Shape	2400x900mm Boat Shape White top, White Legs 2 nos cable management	https://www.vidak.co.nz/col lection/tables/ur.html	1	unit			
FU25	Phone Booth UNFPA		EXTERIOR Painted sheet metal , WHITE color GLASS Sound control laminated glass. FRAME Formica laminate on birch plywood with varnish trim INTERIOR MATERIAL SOLID WALLS AND ROOF Sandwich element of sheet metal, birch plywood, recycled acoustic foam and acoustic felt. Anti-static and stain resistant low loop pile carpet for public spaces. TABLE Formica laminate on birch plywood with varnish trim. REGULAR, STOOL - GRAY COLOR	MEASUREMENTS SIZE: 221 cm x 100 cm x 100 cm (h, w, d) (87 in x 40 in x 40 in) INTERIOR SIZE: 200 cm x 80 cm x 95 cm (78 in x 31.5 in x 37.4 in) DOOR: Left handed, minimum clear opening width 78.5 cm (30.9 in) TABLE SIZE: Regular: 70 cm x 28.5 cm x 13 cm (w, d, h) (27.5 in x 11.2 in x 5.1 in) Wide: 75 cm x 30 cm x 12 cm (w, d, h) (29.5 in x 11.8 in x 4.7 in) TABLE HEIGHT: 102,5 cm (40 in) STOOL: 68,5 - 81,5 cm (26.8 - 31.9 in) WEIGHT: 350 kg / 772 lb	https://www.urban- office.com/office/pods/fr amery-phone- booths.html	1	unit			
FU26	Phoone Booth UNOPS		EXTERIOR Painted sheet metal , SELECTED LIGHT BLUE color GLASS Sound control laminated glass. FRAME Formica laminate on birch plywood with varnish trim INTERIOR MATERIAL SOLID WALLS AND ROOF Sandwich element of sheet metal, birch plywood, recycled acoustic foam and acoustic felt. Anti-static and stain resistant low loop pile carpet for public spaces. TABLE Formica laminate on birch plywood with varnish trim. REGULAR,STOOL - GRAY and GREEN COLOR	MEASUREMENTS SIZE: 221 cm x 100 cm x 100 cm (h, w, d) (87 in x 40 in x 40 in) INTERIOR SIZE: 200 cm x 80 cm x 95 cm (78 in x 31.5 in x 37.4 in) DOOR: Left handed, minimum clear opening width 78.5 cm (30.9 in) TABLE SIZE: Regular: 70 cm x 28.5 cm x 13 cm (w, d, h) (27.5 in x 11.2 in x 5.1 in) Wide: 75 cm x 30 cm x 12 cm (w, d, h) (29.5 in x 11.8 in x 4.7 in) TABLE HEIGHT: 102,5 cm (40 in) STOOL: 68,5 - 81,5 cm (26.8 - 31.9 in) WEIGHT: 350 kg / 772 lb	https://www.urban- office.com/office/pods/fr amery-phone- booths.html	2	unit			